

**From:** Michael DAndrea/R3/USEPA/US  
**Sent:** 12/21/2011 7:10:45 PM  
**To:** "Shawn Garvin" <Garvin.Shawn@epamail.epa.gov>; "Daniel Ryan" <Ryan.Daniel@epamail.epa.gov>; "Michael Kulik" <Kulik.Michael@epamail.epa.gov>  
**CC:**  
**Subject:** Fw: ATSDR Dimock Emergency Response consultation for your review

Sent by EPA Wireless E-Mail Services

**From:** Lora Werner  
**Sent:** 12/21/2011 05:18 PM EST  
**To:** Ann DiDonato; Richard Fetzer; Richard Rupert; KarenD Johnson  
**Cc:** Eric Johnson; "Dawn Ioven" <ioven.dawn@epa.gov>; Gerald Heston; Michael Dandrea; Ron Borsellino; Dennis Carney; "Bob Helverson" <helverson.robert@epa.gov>; "Karl Markiewicz" <markiewicz.karl@epa.gov>; "Mick Kulik" <kulik.michael@epa.gov>  
**Subject:** ATSDR Dimock Emergency Response consultation for your review

Hi there

Please see attached for a DRAFT version of the ATSDR emergency response review of the Dimock private well data, commenting on the general potability issues and the need for further characterization, as well as the need for a more detailed public health review (in progress now per EPA R3 water's request). Please let me know if EPA R3 has any comments to share at this time on this document. We were hoping to finalize this document by the end of this week, but if circumstances are too much in flux on the EPA side to provide comments in that timeframe pls let me know. We are really hoping this is something helpful for EPA as the discussions and info gathering on this site continue.

Note there are internal ATSDR comments inside this document that have already been addressed in this version, I just am unable to take them out via blackberry.

Thank you, Lora

Lora Siegmann Werner, ATSDR/CDC Region 3

**From:** "Edge, Charles (ATSDR/DTEM/PRMSB)" [ibd7@cdc.gov]  
**Sent:** 12/21/2011 08:26 PM GMT  
**To:** "Werner, Lora S. (ATSDR/DRO/PHDL)" <lkw9@cdc.gov>; Robert Helverson  
**Cc:** "Nickle, Richard (ATSDR/DTEM/PRMSB)" <ran2@cdc.gov>  
**Subject:** Dimock AROA

Lora/Bob,

Attached is the AROA with incorporated changes. Let me know what you think.

Charles Edge MS, REHS/RS  
Health Scientist  
ATSDR/DTEM  
770-488-3339 office  
404-234-4471 cell

- Dimock AROA I updated 12-21 (R3 and ERS changes).docx